

KOPP, Isidor Filippovich, prof. [deceased]; KROL', Ayzik Grigor'yevich,
prof.; KHVATQVA, A.V., red.; BUKOVSKAYA, N.A., tekhn. red.

[Fundamentals of the general treatment of eye diseases] Os-
novy obshchei terapii zabolevani glaz. Moskva, Medgiz,
1963. 279 p. (MIRA 16:7)

(EYE--DISEASES)

KHVATOVA, A.V.

Results of cataract extractions in students of schools for
blind and weak-sighted children. Uch.zap. GNII glaz. bol.
no.8:128-135'63. (MIRA 16:9)

1. Gosudarstvennyy nauchno-issledovatel'skiy institut glaz-
nykh bolezney imeni Gel'mgol'tsa.
(CATARACT) (EYE--SURGERY)

KRASNOV, M.M.; PETROPAVLOVSKAYA, G.A.; KHVATOVA, A.V.

Experimental study of the reaction of a rabbit's eye to the implantation in the anterior chamber of an artificial crystalline lens made of glass or plastic. Uch.zap. GNII glaz. (MIRA 16:9)
bol. no.8:163-170:63.

1. Gosudarstvennyy nauchno-issledovatel'skiy institut glaznykh bolezney imeni Gel'mgol'tsa.
(CRYSTALLINE LENS) (EYE—SURGERY)

KHVATOVA, A.V., kand.med.nauk

New tasks in the prophylaxis of eye injuries in schoolchildren.
Oft. zhur. 18 no.3:137-140 '63. (MIRA 17:4)

1. Iz Gosudarstvennogo nauchno-issledovatel'skogo instituta glaznykh
bolezney imeni Gel'mgol'tsa, Moskva.

GOL'FEL'D, Natal'ya Grigor'yevna; KHVATOVA, A.V., red.

[Organization of nurse's work in the ophthalmologic ward
and the ophthalmologic room of a polyclinic] Organizatsia
raboty meditsinskoj sestry v glaznom otdelenii i glaznom ka-
binete polikliniki. Moskva, Meditsina, 1964. 217 p.
(MIRA 17:4)

RABINOVICH, Mikhail Germanovich, doktor med. nauk; KHVATOVA,
A.V., red.

[Cataract] Katarakta. Moskva, Meditsina, 1965. 170 p.
(MIRA 18:5)

KHVATOVA, L.

Sterilizing the ash pests. Zashch. rast. ot vred. i bol. 10 no.12:
51-52 '65. (MIRA 19:1)

1. Zaveduyushchaya laboratoriyey zashchity rasteniy, Kastromskaya
opytnaya stantsiya.

KANTOR, Lev Yakovlevich; KHVATOVA, L.M., otv. red.; NOVIKOV, S.A.,
red.; SLUTSKIN, A.A., tekhn. red.

[Multiple program broadcasting and wire broadcasting net-
works]Mnogoprogrammnoe veshchanie po radiotranslatsionnoi
seti. Moskva, Sviaz'izdat, 1962. 57 p. (MIRA 15:10)
(Wire broadcasting)

VLADIMIROV, N.S.; KHVATOVA, M.N.

Some early ripening hybrids of corn. Trudy TMSR no. 2:107-112
64. (MIRA 17:9)

YUDIN, B.F.; KHVATOVA, M.N.

Study of polyploidy series in corn. Izv. SO AN SSSR no.4 Ser.
biol.-med.nauk no.1:87-93 '65. (MIRA 18:8)

1. Biologicheskiy institut Sibirskogo otdeleniya AN SSSR, Novosibirsk.

BOGOMOL'NIY, Avram Yevseyevich; NIKITIN, P.S., otvetstvennyy redaktor;
KHAVATOVA, T.A., redaktor; DLUGOKANSKAYA, Ye.A., tekhnicheskiy
redaktor; FRUMKIN, P.S., tekhnicheskiy redaktor

[Auxiliary marine machinery] Sudovye vspomogatel'nye mekhanizmy.
Leningrad, Gos.soiuznoe izd-vo sudostroitel'noy promyshl., 1957. 275 p.
(MLBA 10:8)

(Ships--Equipment and supplies)

KHVAIOVA, V.P.

Khvatova, V.P. - "The role of melanophores in the process of pigmentation of epidermal origins," Trudy Krymsk. med. in-ta im. Stalina, Vol. XII, 1948, p. 79-82

SO: U-3950, 16 June 53, (Letopis 'Zhurnal 'nykh Statey, No. 5, 1949).

USSR/Human and Animal Physiology - (Normal and Pathological).
Nervous System. General Problems.

T

Abs Jour : Ref Zhur Biol., No 4, 1959, 17903

Author : Khvatova, V.P., Volynskiy, A.M.

Inst : Crimea Medical Institute

Title : Regeneration of Traumatized Nerve under the Conditions
of Stimulation and Inhibition of Central Nervous System.

Orig Pub : Tr. Krymsk. med. in-ta, 1957, 17, 99-106

Abstract : In rabbits, compression of the sciatic nerve for the
duration of 4 minutes by a looped string with a weight
of 40 g suspended from it induced degeneration of the
nerve. Subcutaneous introduction of a therapeutic dose
of caffeine speeded up the restoration of functions
(respiration and flexor reflex to electric stimulus were
registered) and morphologic regeneration of the nerve.

Card 1/2

Khvatova V. P.

USSR/Human and Animal Physiology - (Normal and Pathological).
Physiology of Age Groups.

T

Abs Jour : Ref Zhur Biol., No 4, 1959, 17047

Author : Khvatova, V.P.

Inst : Crimea Medical Institute

Title : On the Study of the Oral-Cardial Reflex

Orig Pub : Tr. Krymsk. med. in-ta, 1957, 18, 74-81

Abstract : In 50 newborn animals (kittens and puppies) related changes of the activity of the heart in relation to the complex suckling reflex were noted. The exchange of arrhythmia to the rhythmic work of the heart in suckling was discovered (especially in puppies). Reflex reactions of the heart (in suckling an empty nipple) were expressed in an increase of frequency of the rhythm of contractions, increase of amplitude of P and T waves, and decrease of

Card 1/2

- 2 -

KHVATOVA, YE. A.

Agriculture - Study and Teaching

Work with students in an agrobiological station. Sov. pedagog. 16, no. 9, 1952.

9. Monthly List of Russian Accessions, Library of Congress, December 195²₈, Uncl.

KHVATOVA, Ye.A.

Bud grafting apple wildings previously grafted unsuccessfully.
Est.v shkole no.1:76-77 Ja-F '56. (MLRA 9:5)

1. Gor'kovskiy pedagogicheskii institut.
(Grafting) (Apple)

KHVATOVA, Ye.A.

Organizing practical work for students at the agrobiological station
of the pedagogical institute. Politekh.obuch. no.4:51-58 Ap '57.

(MIRA 10:7)

(Agriculture--Study and teaching)

KHVATOVA, Ye. A.
KHVATOVA, Ye. A.

Selection of teaching material and its use for work with
students at an agrobiological experimental station, Politekh.
obuch. no.2:77-83 F '58. (MIRA 11:1)

1.Gor'kovskiy pedagogicheskiy institut.
(Agriculture--Study and teaching)

KHVATOVA, Ye.A.

Keeping records as means of increasing the efficiency of field work.
Politekh.obuch. no.10:62-67 O '58. (MIRA 11:11)

1. Iz opyta raboty Gor'kovskogo pedagogicheskogo instituta.
(Agriculture--Study and teaching) (Field work (Educational method))

KHVATOVA, Ye.M.

Remote oxygen requirement of the brain after hypothermia. Biofizika
6 no.3:351-356 '61. (MIRA 14:6)

1. Gor'kovskiy meditsinskiy institut imeni S.M.Kirova.
(BRAIN) (HYPOTHERMIA) (OXYGEN IN THE BODY)

POLIKARPOV, S.N.; KHVATOVA, Ye.A.

Diagnostic significance of aldolase and transaminase in the complex of liver function tests in acute cholecystitis. (MIRA 14:10)
Khirurgiia no.10:117-123 '61.

1. Iz biokhimicheskoy laboratorii Nauchno-issledovatel'skogo instituta skoroy pomoshchi imeni Yu.Yu. Dzhanelidze (nauchnyy rukovoditel' - zasluzhennyy deyatel' nauki prof. M.S. Lisitsyn).
(GALL BLADDER--DISEASES) (LIVER) (TRANSAMINASE)
(ALDOLASE)

ROMANOVSKAYA, V.K.; KHVATOVA, Ye.A., kand.biologicheskikh nauk

Transaminase activity in myocardial infarcts. Vrach.delo no.12:
12-15 D '62. (MIRA 15:12)

1. Leningradskiy nauchno-issledovatel'skiy institut skoroy
pomoshchi imeni prof. I.I.Dzhanelidze (rukovoditel' nauchnoy
raboty terapevticheskogo otdeleniya, prof. Ant.F.Tur, zav.
biokhimicheskoy laboratoriyey - kand.biologicheskikh nauk Ye.A.
Khvatova).

(TRANSAMINASES) (HEART—INFARCTION)

KHVATOVA, Ye.A. (Leningrad, F-31, ploshchad' Mira, 13, kv.4);
MARTYNKIN, G.A.

Study of the blood coagulation system in some surgical diseases.
Vest. khir. 92 no.6:46-50 Je '64. (MIRA 18:5)

1. Iz Nauchno-issledovatel'skogo instituta skoroy pomoshchi imeni
prof. Yu.Yu. Dzhanelidze (dir. - prof. G.D. Shushkov), Leningrad.

ACC NR: AP7004074

SOURCE CODE: UR/0301/67/013/001/0066/0069

AUTHOR: Khvatova, Ye. M.; Shvets, N. A.

ORG: Gorkov Medical Institute im. S. M. Kirov (Gor'kovskiy meditsinskiy institut)

TITLE: Change in the oxidation-phosphorylation relationship in brain mitochondria during hypothermia

SOURCE: Voprosy meditsinskoy khimii, v. 13, no. 1, 1967, 66-69

TOPIC TAGS: hypothermia, biologic metabolism, tissue chemistry, animal physiology, central nervous system, phosphorylation

ABSTRACT:

These experiments were conducted on etherized male rabbits cooled in a container with snow to a minimum rectal temperature of 19—20C. When maximum hypothermia had been attained they were killed. Approximately one minute later the brain was removed and homogenized in a mixture containing ice, 0.25 M sucrose, and 0.0001 M EDTA. Some results of the experiment are shown in the following tables and figures. It was found that Ca^{++} ions have a stronger dissociating effect, while cysteine intensifies the oxidating capacity of brain mitochondria in cooled animals to a greater degree. Preincubation in glucose and hexokinase in the absence of oxidative substrates quickly depletes the phosphorylating capacity of brain mitochondria in cooled

Card 1/3 animals. UDC: 612.822.2.014.1:[612.262:612.398.145.1]-06:612.592

ACC NR: AP7004074

Table 1. Dissociating effect of Ca^{++} ions on the mitochondria of normal and cooled rabbits (ΔO and ΔP in microgram atoms)

Incubation conditions	Normal			Hypothermia		
	ΔO	ΔP	P/O	ΔO	ΔP	P/O
Without Ca^{++}	$3,71 \pm 0,37$	$7,76 \pm 0,82$	$2,05 \pm 0,05$	$3,97 \pm 0,47$	$7,78 \pm 1,10$	$1,96 \pm 0,2$
Added Ca^{++}	$3,90 \pm 0,50$	$6,86 \pm 1,11$	$1,75 \pm 0,12$	$4,17 \pm 0,39$	$6,29 \pm 0,84$	$1,51 \pm 0,19$
$1 \cdot 10^{-4} \text{ M}$	$P > 0,1$	$P > 0,1$	$P < 0,001$	$P = 0,1$	$P < 0,002$	$P < 0,002$

Table 2. Effect of cystein on the respiratory and phosphorylating activity of brain mitochondria in normal and cooled rabbits (ΔO and ΔP in microgram atoms)

Incubation conditions	Normal			Hypothermia		
	ΔO	ΔP	P/O	ΔO	ΔP	P/O
Without cystein	$3,71 \pm 0,37$	$7,76 \pm 0,82$	$2,05 \pm 0,05$	$3,97 \pm 0,47$	$7,78 \pm 1,10$	$1,96 \pm 0,2$
With cystein 10^{-5} M	$4,32 \pm 0,4$	$7,77 \pm 0,87$	$1,78 \pm 0,05$	$4,69 \pm 0,74$	$7,79 \pm 1,11$	$1,66 \pm 0,33$
	$P < 0,02$	$P > 0,1$	$P < 0,02$	$P < 0,01$	$P > 0,1$	$P < 0,02$

Card 2/3

ACC NR: AP7004074




Fig. 1. Effect of preincubation and the subsequent addition of ATP on the phosphorylating capacity of brain mitochondria in normal and cooled rabbits

1 - Cooled rabbits (7 of 10 experiments); 2 - cooled rabbits (3 of 10 experiments); 3 - normal rabbits; 4 - normal rabbits after administration of ATP.

SUB CODE: 06/ SUBM DATE: 11Jul65/ ORIG REF: 003/ OTH REF: 006
ATD PRESS: 5113

Card 3/3

DIKIY, Aleksandr Danilovich, kand.tekhn.nauk; SOLDATOV, Ivan Andreyevich.
Prinimal uchastiye KHVATOVKER, I.Ye., kand.tekhn.nauk. STERLIGOV,
V.L., inzh.-mayor, red.; SRIBNIS, N.V., tekhn.red.

[Radio transmitting devices] Peredatchiki radiotekhnicheskikh
sredstv. Moskva, Voen.isd-vo M-va obor.SSSR, 1960. 367 p.

(MIRA 13:7)

(Radio, Shortwave--Transmitters and transmission)

KHVATOVSKAYA, V.M.

Quantitative determination of caffeine-sodium benzoate in ampule solutions (10 and 20) through ion-exchange chromatography. Apt. delo 7 no.1:45-48 Ja-P '58. (MIRA 11:3)

1. Iz kafedryfarmatsevticheskoy khimii (zav. - prof. P.L.Senov)
Moskovskogo farmatsevticheskogo instituta zdravookhraneniya RSFSR
(CAFFEINE) (SODIUM BENZOATE)
(CHROMATOGRAPHIC ANALYSIS)

KHVATOVSKAYA, V.M.

Quantitative determination of morphine hydrochloride in an ampule
solution by ion-exchange chromatographic analysis. Apt.delo
7 no.2:65-66 Mr-Ap '58. (MIRA 11:4)

1. Iz kafedry farmatsevticheskoy khimii (zav.-prof. P.L. Senov)
Moskovskogo farmatsevticheskogo instituta Ministerstva zdavo-
okhraneniya RSFSR.
(MORPHINE) (CHROMATOGRAPHIC ANALYSIS)

ACC NR: AP7000669

(N)

SOURCE CODE: UR/0375/66/000/012/0039/0046

AUTHORS: Timofeyev, N. A.; Khvatskiy, N. V.

ORG: none

TITLE: The northwestern part of the Pacific Ocean

SOURCE: Morskoy sbornik, no. 12, 1966, 39-46

TOPIC TAGS: ocean current, oceanography, climatology, climatic influence, atmospheric pressure, wind direction, wind velocity, atmospheric precipitation, meteorology, hydrography

ABSTRACT: A review of various studies of the northwestern Pacific Ocean bounded by the equator, the Philippines, Japan, 45° N Lat and 180° Long is presented. A propagandized synoptic history of the western world's interest in the area is analyzed. The climate varies from equatorial to temperate, and the seasonal weather pattern is controlled by the Aleutian low, the Siberian high, and the Pacific subtropical high. The wind systems include: the equatorial doldrums; the trade winds east of 150° E between 5° and 25° N Lat; the monsoons in the same latitude west of 150° E; the zone of subtropical calms between 20° and 30° N; and the prevailing westerlies north of this. There are also local island breezes and an average of 20-22 typhoons a year. The complex relief of the ocean floor is dominated by island chains and deep trenches

Card 1/2

ACC NR: AP7000669

which together with massive underwater mountain ranges divide the area into basins. The islands are volcanic or coral, and the composition of the floor varies widely and, in places, contains metal deposits such as iron-manganese nodules and cobalt-nickel nodules. There are three sharply defined constant currents: the northern trade, the equatorial, and the southern trade, which represent separate parts of the entire Pacific circulation. Around the islands there are tidal currents. The hydrologic characteristics divide the water into six separate types of masses characterized by four structures: subarctic, subtropic, tropic, and equatorial. The temperature, salinity, density, transparency, etc of each are different. Orig. art. has: 1 table and 5 figures.

SUB CODE: 04, 08/ SUBM DATE: none/ ORIG REF: 003

Card 2/2

1ST AND 2ND CODES		PROCESS AND PROPERTIES INDEX		3RD AND 4TH CODES	
KHYATT, S. P.				23	
<p>Production of fiberboard from waste tanbark oak.</p> <p>L. A. Skul'skaya and S. P. Khyatt., <i>Bumazhnaya Prom.</i>, 15, No. 10, 38-44(1040); T. Giller, C. A. 29, 4172. Waste tanbark oak cooked with 10% CaO at 100-100° for 6 hrs. in milat. with waste paper up to 30%; or unbleached sulfate pulp up to 20% gave fiberboard comparable in the mech. properties with 100% waste-tanbark-oak product obtained by pulping with 30% recovered lye at 6 atm. for 12 hrs. Chas. Blanc</p>					
<p>ASS-SLA METALLURGICAL LITERATURE CLASSIFICATION</p>					
100000 WIP ONE ONE		ONE ONE		ONE ONE ONE ONE ONE	
100000 WIP ONE ONE		ONE ONE		ONE ONE ONE ONE ONE	

KHVATT, S.P.

Development of pulp and paper industry in woodless regions.

Bum.prom. 29 no.5:25 My '54. (MLRA 7:7)

1. Nachal'nik Tekhniko-ekonomicheskogo otdela Ukrqiprobuma.
(Paper industry) (Wood-pulp industry)

Khvat, S.P.

LYSKOV, M.I., inzh.; Khvat, S.P., inzh.-ekonomist.

Paper industry of the Ukraine. Bum.prom. 32 no.11:15-20 N '57.
(MIRA 11:1)

(Ukraine--Paper industry--History)

KHYATT, S.P., insh.-referent

"Isogrand" method (from "Prsegled Papiernicosy," no.5/160 1957).
Bum. prom. 33 no.5:26 My '58. (MIRA 11:6)
(Paper)

KHVATT, S.P., referent

Utilization of rice straw in the paper industry of the Hungarian
People's Republic (from "Przegląd Papierniczy," no.11, 1956).
Bum. prom. 33 no.8:22-24 Ag '58. (MIRA 11:10)
(Hungary--Paper industry)

KHVATTSEV, M. YE.

Medicine

Restoration of speech in persons with jaw and face wounds. (Leningrad) Medgiz, 1946.

Monthly List of Russian Accessions. Library of Congress. September 1952. Unclassified.

KHVATTSEV, Mikhail Yefimovich, prof.; NOVIKOV, Ya.A., red.; TSYPO, R.V.,
tekhn. red.

[Logopedic work with preschool age children; manual for normal school students, methodologists and kindergarten teachers] Logopedicheskaia rabota s det'mi doskol'nogo vozrasta; posobie dlia studentov pedagogicheskikh institutov, metodistov i vospitatelei detskikh sadov. Izd.2., ispr. i dop. Moskva, Gos. uchelno-pedagog. izd-vo M-va prosv. RSFSR, 1961. 203 p. (MIRA 14:9)
(CHILDREN—LANGUAGE) (SPEECH, DISORDERS OF)

KHVATTSEV, Mikhail Yefremovich, prof.; ZAGIK, L.V., red.;
DOBROKVASHINA, A.I., tekhn. red.

[How to prevent and eliminate voice and speech defects in
children]Kak predupredit' i ustranit' nedostatki golosa i
rechi u detei. Moskva, Izd-vo Akad. pedagog. nauk, 1962.
86 p. (MIRA 16:1)

(CHILDREN--LANGUAGE) (SPEECH THERAPY)

KHVATYNETS, L.P., inzh.

Advice for a tractor operator. Zashch. rast. ot vred. i bol.
9 no.7:30-31 '64. (MIRA 18:2)

KHVEDAROVICH, Mikola

A restless poet. Rab. i sial. 38 no.4:22 Ap '62. (MIRA 15:4)
(Bandaryna, Zinaida, 1909-1959)

KHVEDCHEN', L. K., inzh.

Elastic screw conveyor for feeding dustlike materials. Rats. i
izobr. predl. v stroi. no. 4:46-48 '57. (MIRA 11:8)
(Conveying machinery)

KHVEDCHEN' L. K., inzh.

Vacuum apparatus for testing tightness of welding joints. [Suggested
by L.K.Khvedchen'.] Rats. i izobr. predl. v stroi. no. 4:61-64
'57. (MIRA 11:8)

(Vacuum apparatus)

AFANAS'YEV, A.S.; KHVEDCHENYA, G.M.

Correlation between the potential of scale-covered steel and
the loss of weight on etching in sulfuric acid. Ukr. khim.
zhur. 30 no.4:405-410 '64. (MIRA 17:6)

1. Dnepropetrovskiy metallurgicheskiy institut.

AFANAS'YEV, A.S.; KHVEDCHENYA, G.M.

Interrelation between the potential of scale-covered steel
and the decrease of weight during acid pickling. Part 3:
Effect of the macrostructure of scale. Ukr. khim. zhur. 31
no.9:966-973 '65. (MIRA 18:11)

1. Dnepropetrovskiy metallurgicheskiy institut.

AFANAS'YEV, A.S.; KHVEDCHENYA, G.M.

Relation between the potential of scale-coated steel and the decrease in weight of the sample in acid etching. Part 2: Behavior of steel during cathodic and anodic polarization. Ukr. khim. zhur. 31 no.8: 856-863 '65. (MIRA 18:9)

1. Dnepropetrovskiy metallurgicheskii institut.

PANFILOV, N.; SMIRNOVA, Ye., starshiy prep'davatel'; KHVEDCHENYA, L.

"Principles of the economic analysis of the work of enterprises"
by M.Rubinov. Reviewed by N.Panfilov, E.Smirnova, L.Khvedchenia.
Fin.SSSR 37 no.4:93-94 Ap '63. (MIRA 16:4)

1. Zaveduyushchiy Leningradskim promyshlennym oblastnym
finansovym otdelom (for Panfilov). 2. Leningradskiy finansovo-
ekonomicheskii institut (for Smirnova). 3. Zamestitel' nachal'-
nika finansovogo upravleniya Leningradskogo soveta narodnogo
khozyaystva (for Khvedchenya).
(Industrial management) (Auditing and inspection)
(Rubinov, M.)

КНИЖ. ДОУВЕДЕНИЯ, Л. 1.
KNOPOV, A.L.; KOGAN, B.L.; SINITSYN, M.P.; SOMINSKIY, V.S.; KHVEDCHENYA, L.I.

"Planning production in woodpulp enterprises" by A.V.Chirkov.

Reviewed by A.L.Knopov and others. Bum.prom.32 no.8:31-32

Ag '57.

(MIRA 10:12)

(Woodpulp industry)

(Chirkov, A.V.)

KHVEDCHENYA, L.K, inzh.

Testing the thickness of welded seams of metal construction elements
by means of vacuum techniques. Suggested by L.K.Khvedchenia. Rats.
i izobr. predl. v stroi. no.15:68-73 '60. (MIRA 13:9)

1. Po materialam Tekhnicheskogo upravleniya Ministerstva stroitel'stva
USSR.

(Vacuum apparatus)

(Electric welding)

KHVEDCHENYA, Leonid Konstantinovich; SVISTKOV, Vasil'yevich;
GORCHAKOV, A.V., otv. red.; RAGAZINA, M.F., nauchnyy red.

[Testing the tightness of weld joints by vacuuming] Ispytanie
plotnosti svarnykh shvov metodom vakuumirovaniia. Izd.2.,
perer. Moskva, TSentr. biuro tekhn. informatsii, 1959. 19 p.
(MIRA 15:2)

(Welding—Testing)

(Vacuum technology)

AUTHORS: Lazarev, B.G., Ovcharenko, O.H. and SOV/126-7-1-25/28
Akhvedchuk, I.R.

TITLE: On the Problem of Determining the Activation Energy of
 Vacancy-Formation Using Dilatometric Measurements
 (K voprosu ob opredelenii energii aktivatsii obrazovaniya
 vakansiy iz dilatometricheskikh izmereniy)

PERIODICAL: Fizika Metallov i Metallovedeniye, 1959, Vol.7, Nr.1,
 pp 154-155 (USSR)

ABSTRACT: Gertsriken (Ref.1) pointed out that expansion of a metal
 on heating is due to an increase in the amplitude of thermal
 fluctuations as well as to loosening of the lattice by
 vacancy-formation. The volume change due to vacancy-formation
 is given by

$$\frac{\Delta V}{V} = C e^{-E_D/RT},$$

where C is the vacancy density and E_D the energy of
 formation. The energy E_D found from dilatometric measure-
 Card 1/3 ments for gold was found to agree well with the value obtained

SOV/126-7-1-25/28

On the Problem of Determining the Activation Energy of Vacancy-
Formation Using Dilatometric Measurements

from experiments on quenching of vacancies ($E_D = 18.2 \text{ kcal} = 0.79 \text{ eV}$, Ref.4). This value of E_D indicates a vacancy density of 1.08×10^{-3} near the melting point. It is known that a vacancy density of $(1 - 5) \times 10^{-4}$ can be easily quenched-in in gold. A sample with this quenched-in vacancy density should decrease in volume on cooling. Dilatometric experiments carried out by the authors showed that no such contraction occurred in gold. This negative result is due to the technique employed: the volume contraction was deduced from the change in length of a sample in the form of a plane parallel plate 0.1 mm thick (the other dimensions were 8 and 100 mm). It can easily be shown that contraction of such a sample will occur primarily in the form of a change in the sample thickness rather than its length. There are 4 references, of which 2 are Soviet, 1 German and 1 English.

ASSOCIATION: Fiziko-tekhnicheskiy institut AN SSSR
Card 2/3 (Physico-Technical Institute, Ac. Sc. USSR)

GINDIN, I.A.; LAZAREV, B.G.; KHVEDCHUK, I.R.

Dilatometric investigation of the low-temperature deformation
transition to lithium. Fiz. met. i metalloved. 16 no.5:793-794
N '63. (MIRA 17:2)

1. Fiziko-tekhnicheskiy institut AN UkrSSR.

D'YAKOV, I.G.; KHVEDCHUK, I.R.

Lithium refining by zone melting. Fiz. met. i metalloved. 17 no.2:
303-305 F '64. (MIRA 17:2)

1. Khar'kovskiy fiziko-tekhnicheskij institut AN SSSR.

ACCESSION NR: AP4017368

S/0126/64/017/002/0303/0305

AUTHOR: D'yakov, I. G.; Khvedchuk, I. R.

TITLE: Purification of lithium by zone melting

SOURCE: Fizika metallov i metallovedeniye, v. 17, no. 2, 1964, 303-305

TOPIC TAGS: lithium, lithium purification, zone melting

ABSTRACT: Using apparatus described in an earlier article (FMM, 1961, 11, 588), a sample of 99.3% lithium (0.01% K, 0.03% Ca, 0.2% Na, 0.03% Mg, 0.05% Si, 0.03% N, 0.009% Al, 0.003% Fe and 0.005% Mn) was purified in an atmosphere of helium by a repeated (12 and 20 times) crystallization process. The lithium obtained was estimated, from its relative conductivity, to be more than 99.95% pure. A chemical analysis of the product showed that Na, Mn, Ca, Fe, and Cu were more readily removed than Al, while Mg and Si were found to be "harmful" impurities, since they were difficult to remove. "The authors would like to thank Ye. V. Lifshits for performing the qualitative chemical analysis and L. S. Kiryakov for his technical assistance." Orig. art. has: 1 graph.

ASSOCIATION: Khar'kovskiy fiziko-tekhnicheskii institut AN SSSR (Khar'kov Physico-technical Institute)

Card 1/2

ACCESSION NR: AP4017368

SUBMITTED: 01Jun63

ENCL: 00

SUB CODE: MM

NO REF SOV: 004

OTHER: 003

Card 2/2

L 55098-65 BRL(a)/L/REQ-2/DO(L) Pg 1/Pg 4/13-4/Pk 1 LJP(a) BB/09

ACCESSION NR: AF5016756

OR/0286/65/000/010/0081/0081
681.142.642.2

AUTHOR: Khvedelidze, A. P.; Kachavariani, G. A.

TITLE: A method for handling operations in Gray code. Class 42, No. 171157

SOURCE: 'Byulleten' izobreteniy i tovarnykh znakov, no. 10, 1965, 81

TOPIC TAGS: coding, computer logic, computer language

ABSTRACT: This Author's Certificate introduces: 1. A method for handling operations in Gray code without preliminary conversion to binary code. To speed up the process of addition, the index of parity is determined by scanning the numbers from the most significant digit to the least significant with simultaneous mod 2 summation by digits. A unit is added to each digit obtained by adding the digits of initial numbers with odd indices. At the same time the result of addition in the next most significant digit is inverted if the result of mod 2 summation of the numbers with odd indices is 0. If the result of mod 2 summation is equal to 1, the result is scanned from the digit with odd indices toward the most significant digits and the result of addition is inverted in the digit next to the most significant.

Card 1/2

I 55098-65

ACCESSION NR: AP5015756

digit which is equal to 1. 2: A modification of this method in which the difference module of the numbers is obtained. The parity of the digits in one of the numbers is reversed and the numbers are added. If the parity is identical in the least significant digits of the original number, a unit of cyclic carry is added to the least significant digit. If the digits in the initial numbers have opposite parities, the result is scanned from the least significant digits toward the most significant, and a unit of cyclic carry is added to the digit next on the left from the first digit which is equal to 1.

ASSOCIATION: none

SUBMITTED: 27May64

ENCL: 00

SUB CODE: DE

NO REF SOV: 000

OTHER: 000

Card 2/2

L 60368-65

ACCESSION NR: AF5019075

UN/0286/65/000/012/0102/0103
681.142.642.2

AUTHORS: Khvadelidze, A. F., Machavariani, G. A.

14

TITLE: Grey code summator. Class 42, No. 172131

SOURCE: Byulleten' izobreteniy i tovarnykh znakov, no. 12, 1965, 102-103

TOPIC TAGS: summator

ABSTRACT: This Author Certificate presents a Grey code summator containing input number registers and a result register. To increase the response rate, the summator contains a parity determination line consisting of two groups of "AND" circuits. One of the inputs of an "AND" circuit in the first group is connected to the zero output of a given digit trigger and to the output of the "AND" circuit of the second group of the next more significant digit. The other input is connected to the output of the "AND" circuit, which is connected to the one output of the given digit trigger and to the output of the "AND" circuit of the first group of the next more significant digit. One of the inputs of an "AND" circuit in the second group is connected to the zero output of the given digit trigger and to the output of the "AND" circuit of the first group of the next more significant digit. The other input is connected to the one output of the given digit

Card 1/2

L 60368-65

ACCESSION NR: AP5019075

trigger and to the output of the "AND" circuit of the second group of the next more significant digit. The even input of each trigger of the result register is connected to the output of the semisumator of the corresponding term digits, to the output of the "AND" circuit registering the characteristics combination "odd-odd," and to the output of an "AND" circuit. One input of the latter is connected to the one output of the result register trigger of the next less significant digit. The other input is connected to the output of an "AND" circuit of the preceding digit of a parallel shift line. One of the inputs of the "AND" circuit of a given digit of the parallel shift line is connected through a delay line to the output of the "AND" circuit registering the characteristics combination "odd-odd" in the given digit. The other input is connected to the output of the "AND" circuit of the parallel shift line of the preceding digit. The output of the parallel shift "AND" circuit from the leading digit of the result register is connected to the one input of the trailing digit trigger.

ASSOCIATION: none

SUBMITTED: 26 May 64

ENCL: 00

SUB CODE: DP

NO REF SOV: 000

OTHER: 000

Card 2/2 *KC*

KHVEDELIDZE, B.V.

Some properties of singular integrals in the sense of the Cauchy-Lebesgue principal value. Soob.AN Gruz.SSSR 8 no.5:283-290 '47.

(MIRA 9:7)

1.Akademiya nauk Gruzinskey SSR, Tbilisskiy matematicheskiy institut imeni A.M.Rasmdaze. Predstavleno deystvitel'nyy chlenom Akademii I.N.Vekua.

(Integrals, Generalized)

KHVEDELIDZE, B.V.

Singular integral equations in Cauchy-Lebesgue particular integrals.
Soob.AN Gruz.SSR 8 no.7:427-434 '47. (MIRA 9:7)

1.Akademiya nauk Gruzinskoy SSR, Tbilisskiy matematicheskiy institut
imeni A.M.Razmadze. Predstavleno deystvitel'nym chlenom Akademii
I.N.Vekua.

(Integral equations)

KHVEDELIDZE, B. V.

Khvedelidze, B. V. On linear integral equations with a singular kernel of Cauchy type. Doklady Akad. Nauk SSSR (N.S.) 76: 167-170 (1951) (Russian). The author investigates the notation and definitions of an earlier note [Zhurnal vychisl. mat. i fiz. 1950, No. 1, 81-87]. On the basis of this note theorems are established, analogous to those of Noether, for integral equations with the Cauchy kernel and their solutions in the sense of principal values.

Carroll

Source: Mathematical Reviews,

Vol. 12

No. 10

KHVEDELIDZE B.V.

On the problem of factor conjugation in the theory of analytic functions. Doklady Akad. Nauk SSSR (N.S.) 10:317-318 (1955). (Russian)

Let C be a finite collection of disjoint simple, open arcs in the plane, ending with a fixed direction in angle satisfying Hölder conditions. The plane C is denoted by $P(H, C)$. Given in C and $|g(t)| = (1-g(t))$ is the condition of g is summable, $g(t)$ belongs to $L^p(C)$. The class $A_{p, \lambda}(C)$ consists of functions $f(z)$ such that: (1) $f(z)$ is analytic in $P(H, C)$; (2) $f(z) = O(g(t))$ at infinity; (3) the non-tangential limits $f_+(t), f_-(t)$ exist, i.e., (almost everywhere) on C and are in $L^p(C)$; (4) $S(f, t) = f - f_+ - f_- + \gamma$, (γ an arbitrary polynomial of order λ) with $\mu S = \int_C g(t)(t-z)^{\lambda-1} dt$, $t \in C$ (sense of principal values). The author solves the problem of finding $g(t)$ in $L^p(C)$ such that:

$$S(f) = G(t)(t - (0) + g(t))$$

on C , $G(t) \in L^p(C)$ given on C . This problem, previously considered by N. I. Muskhelishvili in the case of $g(t), G(t)$ of Hölder class and the solution is piecewise analytic (in the sense of Muskhelishvili) is now solved under considerably more general conditions on $f, G \in L^p(C)$ (the same Doklady N.S. 70: 367-370 (1955); these Rev. 12: 832.)

W. J. Trjitzinsky (Urbana, Ill.)

Source: Mathematical Reviews,

Vol. 12 No. 10

KHVEDELIDZE, B.V.

On one class of singular integral equations having Cauchy type kernels. Soob. AN Gruz. SSR 15 no.7:401-405 '54. (MLRA 8:6)

1. Akademiya nauk Gruzinskoy SSR, Tbilisskiy matematicheskiy institut im A.M.Razmadze. Predstavleno deyatvitel'nyy chlenom Akademii V.D. Kupradze.
(Integral equations)

KARTSIVADZE, I.N.; KHVEDELIDZE, B.V.

Cauchy type integral [in Georgian with in summary in
Russian]. Trudy Tbil.mat.inst. 20:211-244 '54.
(Integrals) (MLBA 8:8)

KHVEDELIDZE, B.V.

Riemann-Privalov problem in the theory of analytic functions. Usp.
mat.nauk 10 no.3:165-171 '55. (MIRA 9:1)

(Functions, Analytic) (Riemann surfaces)

Khvedelidze B.V.

44-1-368

TRANSLATION FROM: Referativnyy Zhurnal, Matematika, 1957, Nr 1,
p. 61 (USSR)

AUTHOR: Khvedelidze, B. V.

TITLE: Some Composition Formulas of Singular Integrals
and Their Application to the Reversal of Integral
of Cauchy Type (Nekotoryye formuly kompozitsii
singulyarnykh integralov i ikh prilozheniya k
obrashcheniyu integrala tipa Koshi)

PERIODICAL: Soobshch. AN GruzSSSR, 1955, 16, Nr 2, pp. 81-88

ABSTRACT: Let C be a finite totality of plane, open curves
of Lyapunov: $C = \sum_{k=1}^m C_k$. The author regards the function
 $f(t)$ as belonging to the class $L^p(C, \omega(t))$ if $f(t)$ is
measurable, $\omega(t)$ is a non-negative measurable function, and
Lebesgue's integral $\int_C \omega(t) |f(t)|^p ds$ exists.
Let a_k, b_k ($k = 1, 2, \dots, m$) be the ends of curves C_k . The

Card 1/2

44-1-368

Some Composition Formulas of Singular Integrals and Their (Cont.)

following notations are introduced:

$$R(z) = \sqrt{\prod_{k=1}^m (z-a_k)(z-b_k)},$$

$$R_a(z) = \sqrt{\prod_{k=1}^m (z-a_k)}$$

$$R_b(z) = \sqrt{\prod_{k=1}^m (z-b_k)}; \quad S_\varphi = \frac{1}{\pi i} \int_c \frac{\varphi(\tau)}{\tau-t} d\tau,$$

$$U_\varphi = \frac{1}{\pi i R(t)} \int \frac{R(\tau) \varphi(\tau) d\tau}{\tau-t}; \quad V_\varphi = \frac{R(t)}{\pi i} \int \frac{(\tau) d\tau}{R(\tau) (\tau-t)}; \text{ and}$$

also some other analogous notations. Using the composition formula of double singular integrals, the author derives formulas of composition of the operators SU, US, SV, VS, and similar ones in the classes $\mathcal{H}^p(C, R^{-1})$, $L^p(C, R_a^{-1} R_b)$ and others. With the aid of the above composition formulas, the author derives formulas for reversal of integrals of Cauchy type (Muskhelivshvili, N.I., Singular Integral Equations, M.-L., 1946, paragraphs 88, 89) in those classes of functions for which the above composition formulas are derived.

F. D. Gakhov.

Card 2/2

RPV/DELIDZE, B.V.

KHVEDELIDZE, B.V.

On a discontinuous Riemann-Privalov problem in the theory of analytic functions. Dokl. AN SSSR 102 no.6:1081-1084 Je'55. (MLRA 8:10)

1. Tbilisskiy matematicheskiy institut imeni A.M.Razmadze Akademii nauk Gruz.SSR. Predstavleno akademikom N.I.Muskhelishvili
(Functions, Analytic)

Khvedelidze, B. V.

Call Nr: AF 1108825

Transaction of the Third All-union Mathematical Congress, Moscow, Jun-Jul '56,
Trudy '56, V. 1, Sect. Rpts., Izdatel'stvo AN SSSR, Moscow, 1956, 237 pp.

Khvedelidze, B. V. (Tbilisi). On Singular Integral Equations With Cauchy Type
Kernels in the Classes of Functions, Which are Summed up with Weight. 72

Khvedelidze, B. V.

Khvedelidze, B. V.

3
1-FW
The article deals with the boundary problem of the Dirichlet problem for the Laplace equation in the unit disk D of the complex plane \mathbb{C} with the boundary Γ having a Hölder condition. The article deals with the boundary problem

The article deals with the boundary problem

(1) $\Delta u = 0$ in D , $u|_{\Gamma} = f$

under the condition that the boundary Γ is a smooth curve, the inclination of whose tangent satisfies a Hölder condition and that the coefficient α has the form

$$\alpha(t) = \sum_{k=1}^n \alpha_k(t) + \beta(t), \quad \beta(t) = O(t^{\lambda_0})$$

where α_k are given points of the boundary, λ_k are given numbers, $\beta(t)$ is a continuous function which satisfies the Hölder condition everywhere except at a finite number of points α_k , where it has a discontinuity of the first kind. B. V. Khvedelidze, Soviet Acad. Nauk Gruzin SSR 16 (1955) 81-83, MR 17:116.

1/2

Khvedelidze, B. V.

Not in Rostovskiy
A. S. Dec. 55 R.

Bye-bye, B&W

TABLE IV

Calculated and experimental $\log K$ values for the reaction of H_2O and H_2O_2 with H_2S and HS^- at 25°C

THE

$\frac{1}{\sqrt{2}} \begin{pmatrix} 1 & -i \\ 0 & 1 \end{pmatrix}$

where P is the probability of the finite and infinite regions


It is proved that there exists a solution of (*) of infinite order of infinity in the case of integrations.

$$0 \leq \alpha \leq 1, \quad \alpha \in L_2(T, \mu)$$

and an ϵ -cylinder expressed in terms of integrals of Cauchy type.

The authors are generalizing authors (Carpenter, E. D. Galt, others), who have considered various problems.

12-16-64 R2M1E 1957, no. 6295



KHVEDELIDZE, B.V.

On singular integral equation systems with Cauchy kernels. Soob.
AN Gruz.SSR 18 no.2:129-136 F '57. (MIRA 10:7)

1. Akademiya nauk Gruzinskoy SSR, Tbilisskiy matematicheskiy
institut im. A.M. Razmadze. Predstavleno chlenom-correspondentom
Akademii N.P. Vekua.

(Integral equations)

KHVEDELIDZE, B.V.

Some remarks on my work "Discontinuous linear boundary problems in the theory of functions, singular integral equations and some of their applications." Soob. AN Gruz. SSR 21 no.2: 129-130 Ag '58. (MIRA 12:6)

1. AN Gruz. SSR, Tbilisskiy matematicheskiy institut im. A.M. Razmadze. Predstavleno chlenom-korrespondentom Akademii N.P. Vekua.

(Functions of complex variables)

KHVEDELIDZE, B.V.

Rieman-Privalov discontinuous problem with a given displacement.
Soob. AN Gruz. SSR 21 no.4:385-389 G '58. (MIRA 12:4)

1. AN GruzSSR, Tbilisakiy matematicheskii institut im. A.M. Raz-
madze. Predstavleno chlenom-korrespondentom Akademii N.P. Vekua.
(Functional analysis)

16(1)

AUTHORS: Mandzhavidze, G.F., and Khvedelidze, B.V. SOV/20-123-5-5/50

TITLE: On the Problem of Riemann-Privalov With Continuous Coefficients
(O zadache Rimana-Privalova s nepreryvnymi koefitsiyentami)

PERIODICAL: Doklady Akademii nauk SSSR, 1958, Vol 123, Nr 5, pp 791-794 (USSR)

ABSTRACT: The authors consider the following problem: Matrices $\Phi(z)$ are sought, the elements of which are of the type $\varphi(z) = \frac{1}{2\pi i} \int_{\Gamma} \frac{\psi(t)}{t-z} dt + \psi(z)$

(ψ - summable on Γ , P - integral), the boundary values of which belong to the L_p ($p > 1$) in the salient points of Γ and satisfy

the condition $\Phi^+(t) = a(t) \Phi^-(t) + b(t)$, $t \in \Gamma$, where Φ^+ is defined inside of the domain bounded by Γ and Φ^- is defined outside of the domain bounded by Γ ; $a(t)$ and $b(t)$ are certain given matrices. This problem and a further similar one are solved with the aid of a method on which Mandzhavidze has given a lecture already in 1956 at the Third Mathematical Union Congress. There are 7 references, 6 of which are Soviet, and 1 American.

ASSOCIATION: Tbilisskiy matematicheskiy institut imeni A.M. Razmadze AN Gruz. SSR
Card 1/2 (Tbilissi Mathematical Institute imeni A.M. Razmadze AS Gruz. SSR)

KHVEDL D22-B.V.

16(0)

PHASE I BOOK EXPLANATIONS NOV/31/77

Matematika v SSSR za srok let. 1917-1957. tom 1: Obzornye stat'i (Mathematics in the USSR for Forty Years. 1917-1957) Vol. 1. Review Articles) Moscow, Fizmatgiz, 1959. 1002 p. 5,500 copies printed.

Eds: A. G. Kurosh, (Chief Ed.), V. I. Smirnov, V. O. Etkin, Ye. B. Dynkin, G. Ye. Shilov, and A. P. Fushkevich; Ed. (Inside book): I. P. Lapin; Tech. Ed.: S. M. Arslanov.

PURPOSE: This book is intended for mathematicians and historians of mathematics interested in Soviet contributions to the field.

COVERAGE: This book is Volume I of a major 2-volume work on the history of Soviet mathematics. Volume I surveys the chief contributions made by Soviet mathematicians during the period 1917-1957. Volume II will contain a bibliography of major works since 1917 and biographical sketches of some of the leading mathematicians. This book sketches the tradition set by two earlier works: Matematika v SSSR, Prilozhenie k Matematicheskomu slovariu (Mathematics in the USSR for 15 Years) and Matematika v SSSR za tri desyat' let (Mathematics in the USSR for 30 Years). The book is divided into the major divisions of the field, i.e., algebra, topology, theory of probabilities, functional analysis, etc., and contributions and outstanding problems in each discussed. A listing of some 1400 Soviet mathematicians is included with references to their contributions in the field.

Volkovskiy, L. I. Riemann surfaces

Introduction

1. Classification of Riemann surfaces	472
2. Geometric theory of entire and meromorphic functions	473
3. Analytic and quasianalytic functions and differentials on Riemann surfaces	476
4. Various problems. Problematic	477
Shabat, B. V. Generalization and Analogies of the Theory of Analytic Functions	480
Fuks, B. A. Functions of Many Complex Variables	481
Gakhov, F. D., and B. V. Durandiz, Boundary-value Problems of the Theory of Functions of a Complex Variable	494
Neerkiy, V. V. Ordinary Differential Equations	498
1. Scientific schools in the USSR in the field of ordinary differential equations	511
2. Analytic representation of solutions (problems of algorithmic solvability)	511
3. Asymptotes of the solutions of differential equations	514
4. Method of continuous extension (method of small parameter)	519
5. Method of small parameter for finding periodic and almost periodic solutions and other related solutions	526
6. Degenerate systems of differential equations	529
7. Lyapunov stability	538
8. Existence theorems and general qualitative theory	547
9. Theory of dynamic systems and other generalizations of the theory of ordinary differential equations	557

S/020/61/140/001/009/024
C111/C222

AUTHOR: Khvedelidze, B.V.

TITLE: Regularization problem in the theory of integral equations
with a Cauchy kernel

PERIODICAL: Akndemiya nauk SSSR. Doklady, v. 140, no. 1, 1961, 66-68

TEXT: The author considers the integral equation with the Cauchy
kernel

$$N \varphi = a(t) \varphi(t) + b(t) S \varphi + V \varphi = f(t), \quad (1)$$

where

$$S \varphi = \frac{1}{\pi i} \int_{\Gamma} \frac{\varphi(t_1)}{t_1 - t} dt_1, \quad t \in \Gamma.$$

Γ is a finite set of simple closed or open Lyapunov curves free of intersections; $a(t)$, $b(t)$, $f(t)$ are defined on Γ ; V is a completely continuous operator in the same space in which $\varphi(t)$ is sought.

In certain cases the problem of regularization leads to the operator

Card 1/5

regularization problem in the theory ... S/020/61/140/001/009/024
C111/C222

$$T_{\omega} \varphi = \int_{\Gamma} \frac{\omega(t_1) - \omega(t)}{t_1 - t} \varphi(t_1) dt_1.$$

S.G. Mikhlin (Ref. 4, DAN 59, no. 3, 1946) has shown that if $\omega(t)$ is continuous on Γ then T_{ω} is completely continuous in the Hilbert space $L_2(\Gamma)$. By this assertion Mikhlin could solve the problem of regularization if Γ is closed and $a(t)$, $b(t)$ are continuous. The author generalizes the result of Mikhlin with respect to T_{ω} .

If $\varphi(t)$ has discontinuities of first kind in $c_1, c_2, \dots, c_m \in \Gamma$ and if it is continuous on the closed parts of Γ lying between these points then $\varphi(t)$ belongs to the class $C(\Gamma; c_1, c_2, \dots, c_m)$.

Let α_k be real, $0 \leq \alpha_k < 1$, $k = 1, \dots, m$. Let

$$g(t) = \prod_{k=1}^{m_1} |t - c_k|^{\alpha_k^{(p-1)}} \prod_{k=m_1+1}^m |t - c_k|^{-\alpha_k}, \quad 0 \leq m_1 \leq m;$$

Card 2/5

regularization problem in the theory ... S/020/61/140/001/009/024
C111/C222

if $m_1 = 0$ then let the first product be $= 1$, if $m_1 = m$ then let the second product be $= 1$. Let $L_p(\Gamma; \xi)$ be the space of functions defined on Γ and integrable in the p -th power with the weight $\xi(t)$. For $\varphi \in L_p(\Gamma; \xi)$ let

$$\|\varphi\|^p = \int_{\Gamma} \xi(t) |\varphi(t)|^p ds.$$

Let $p > 1$.

Theorem 1: If $\omega(t) \in C(\Gamma; c_1, c_2, \dots, c_m)$ then T_ω maps the space $L_p(\Gamma; \xi)$ into itself and is completely continuous.

Theorem 2: If $\delta(t)\omega(t) \in C(\Gamma; c_1, c_2, \dots, c_m)$, where

$$\delta(t) = \prod_{k=1}^m |t - c_k|^{\alpha_k}, \quad 0 < \alpha_k < 1$$

then T_ω maps the space $L_p(\Gamma; \delta^{-1})$ into the space $L_p(\Gamma; \delta^{p-1})$ and is completely continuous.

Card 3/5

Regularization problem in the theory ... S/020/61/140/001/009/024
C111/C222

In (1) let now : $a(t), b(t) \in C(\Gamma; c_1, c_2, \dots, c_m)$, $a^2(t) - b^2(t) \neq 0$ everywhere on Γ ; $f(t), \varphi(t) \in L_p(\Gamma; \xi)$; V maps $L_p(\Gamma; \xi)$ into itself and is completely continuous; Γ consists of closed lines. Under these assumptions from theorem 1 and known older results it follows that the operator

$$M\varphi \equiv a_0(t)\varphi(t) - S(b_0\varphi) \quad (2)$$

where

$$a_0(t) = \frac{a(t)}{a^2(t) - b^2(t)}, \quad b_0(t) = \frac{b(t)}{a^2(t) - b^2(t)}$$

is the left as well as the right regularizator of the operator N in the space $L_p(\Gamma; \xi)$.

Card 4/5

Regularization problem in the theory ... S/020/61/140/001/009/024
C111/C222

There are 5 Soviet-bloc references.

ASSOCIATION: Tbilisskiy matematicheskiy institut imeni A.M. Razmadze
Akademii nauk Gruz SSR (Tbilisi Mathematical Institute
imeni A.M. Razmadze of the Academy of Sciences
Gruzinskaya SSR)

PRESENTED: April 22, 1961, by N.I. Muskhelishvili, Academician

SUBMITTED: April 7, 1961



Card 5/5

KHARAZOV, D.F.; KHVEDELIDZE, B.V.

Some notes on the theory of singular integral equations with a
Cauchy kernel. Soob. AN Gruz. SSR 28 no.2:129-135 F '62.

(MIRA 15:3)

1. Akademiya nauk Gruzinskoy SSR Tbilisskiy matematicheskiy institut
imeni A.M.Razmadze. Predstavleno akademikom N.P.Vekua.

(Integral equations)

MANDZHAVIDZE, G.F.; KHVEDELIDZE, B.V.

Linear conjugation problem and singular integral equations
with Cauchy kernels and continuous coefficients. Trudy Mat.
inst. AN Gruz. SSR 28:85-105 '62. (MIRA 16:8)

(Boundary value problems) (Integral equations)

KHVEDNLIDZE, G.B.

[Sukradbel as a medicine against chronic encephalitis, and
Parkinson's disease] Sukradbel kak lekarstvennoe sredstvo protiv
khronicheskogo entsefalita, parkisonizma. Tbilisi, Gruzmedgiz,
1957. 35 p. (MIRA 11:4)
(ENCEPHALITIS)

KHVEDELIDZE, G.R.

SERGEYEV, I.N., inzhener; KHVEDELIDZE, G.R., inzhener; ROZENTUL, A.S.,
inzhener; ALEKSANDRI, L.; VOLCHOK, P.S., arkhitektor; PETUNIN,
N.V., arkhitektor; MIKHAYLOV, V.V., professor

Precast rafter construction for large-panel apartment houses.
Rats. i izobr. predl. v stroi. no.101:28-29 '55.
(Roofs) (MLRA 8:10)

KHVELDELIDZE, G. V.

"On the Pharmacology of Belladonna Preparations (*Atropa belladonna* L.)." Cand
Med Sci, Tbilisi State Medical Inst, Tbilisi, 1954. (KL, No 1, Jan 55)

Survey of Scientific and Technical Dissertations Defended at USSR Higher
Educational Institutions (12)
SO: Sum. No. 556, 24 Jun 55

KHVEDELIDZE, G. V.

N/5
647
.K7

"Sukradbel" kak lekarstvennoye sredstvo protiv khronicheskogo entsefalita (Parkinsonizma) "Succus radicis Belladonnae" as a medical remedy in chronic post encephalic Parkinsonism Tbilisi, Gruzmetgiz, 1957.

35 p. illus., graphs (Opyt Sovetskoy Meditsiny)
Includes a Georgian language summary of the text.
"Literatura"; p. 31-32.

KHVELIDZE, G.V.

KHVELIDZE, G.V.; TSITSADZE, K.I.

Control of respiratory movements in the frog. Soob. AN Gruz. SSR
18 no.6:741-746 Je '57. (MIRA 10:10)

1. Tbilisskiy gosudarstvennyy meditsinskiy institut. Predstavleno
chlenom-korrespondentom D.M.Gedevanishvili.

(RESPIRATION) (BRAIN) (FROGS)

ERISTAVI, K.D., akademik; GEORGADZE, G.Ye.; KHVEDELIDZE, G.V.; KEBADZE, N.N.

Induction of tumors in hypo- and hyperthyreosis. Soob. AN Gruz.
SSR 19 no.6:737-742 D '57. (MIRA 11:6)

1. Institut eksperimental'noy i klinicheskoy khirurgii i gematologii
AN GruzSSR, Tbilisi. 2. AN GruzSSR (for Eristavi).
(THYROID GLAND--DISEASES) (CANCER)

27.2300

39922

S/219/62/053/006/003/003

1015/1215

AUTHOR. Khvedelidze, G. V.

TITLE. The effect of hypothermia and hibernation on conditioned reflexes elaborated to sound
 PERIODICAL. Byulleten' eksperimental'noy biologii i meditsiny, v. 53, no. 6, 1962, 32-35

TEXT Only two studies on CNS activity after hypothermia have been reported by Soviet authors, while non-Soviet authors have investigated the free movements, behavior and EEG of animals before and after hypothermia. Experiments were performed on 2 dogs, subjected to hypothermia (the rectal temperature was reduced to 23-24°C) and also given a hibernation 'cocktail' (1.5 ml of a 5% promedol solution i.m. and 30 min. later 0.1 ml/kg b.w. of the 'cocktail', also i.m., the composition of which was: 50 ml of 0.1% atropine sulf., 1g dimedrol, 1g aminazine). The previously elaborated unilateral steady conditioned reflexes to metronome sound, based on electric stimulation of the teeth (Gedevanishvili's method) showed no disturbances 2 days after the hypothermia and hibernation. In order to detect changes in CNS activity following hypothermia-hibernation, more delicate tests should be elaborated. There are 2 figures

ASSOCIATION Institut eksperimental'noy i klinicheskoy khirurgii i gematologii AN Gruzinskoy SSR i fiziologicheskaya laboratoriya pediatricheskogo fakulteta Tbiliskogo meditsinskogo instituta (Institute of Experimental and Clinical Surgery and Hematology, AS. Georgian SSR and Physiological Laboratory, Chair of Pediatrics, Medical Institute, Tbilisi)

SUBMITTED July 26, 1961

Card 1/1

KHVEDELIDZE, G.V.

Effect of hypothermia in combination with hibernation on conditioned reflexes from the auditory analyzer. Biul. eksp. biol. i med. 53 no. 6: 32-35 Je '62. (MIRA 15:10)

1. Iz Instituta eksperimental'noy i klinicheskoy khirurgii i gematologii (dir. - akademik AN Gruzinskoy SSR K.D. Eristavi) AN Gruzinskoy SSR i fiziologicheskoy laboratorii pediatricheskogo fakul'teta (rukovoditel' - chlen-korrespondent AN Gruzinskoy SSR prof. D.M. Gedevanishvili) Tbilisskogo meditsinskogo instituta (dir. - prof. P.G. Gelbakhiani). Predstavlena akademikom V.N. Chernigovskim.

(CONDITIONED RESPONSE) (HEARING) (HYPOTHERMIA)
(ARTIFICIAL HIBERNATION)

KHVEDELIDZE, G.V.

Effect of hypothermia on conditioned reflex activity. Trudy Inst.
eksp.i klin.khir.i gemat. AN Gruz.SSR 10:207-218 '62.

(CONDITIONED RESPONSE) (HYPOTHERMIA)

(MIRA 16:2)

ACCESSION NR: ^PAT4045203

S/0251/64/035/002/0299/0302

AUTHOR: Mirtskhulava, I.A., Chigogidze, Z.N., Kurdiani, N.I., Kavedelidze, L.V.,
Dzhanelidze, R.B., Mirianashvili, M.M.

TITLE: The possibility of obtaining high-resistance, compensated crystals of indium antimonide by heat treatment

SOURCE: AN GruzSSR. Soobshcheniya, v. 35, no. 2, 1964, 299-302

TOPIC TAGS: indium, antimony, indium antimonide, compensated crystal, crystal electrical resistance, electrical conductivity

ABSTRACT: The resistance of indium antimonide is low primarily because of the presence of impurities. Heat treatment of n-type material generates acceptor levels at $1.6-1.8 \times 10^{-2}$ eV, leading to compensation of band electrons at the residual donor impurity. A diagram shows the conductivity and Hall coefficient in relation to temperature before and after heat treatment (450C). Because of the depth of the thermal acceptor levels, it should be possible to obtain compensated indium antimonide with a resistance of several kilohm, but this turned out to be difficult to achieve because of sensitivity of the material to temperature, time of holding the temperature and the initial donor concentration. A graph of resistivity against time of heating showed a sharp maximum at

Cord 1/2

ACCESSION NR: ^pAT4045203

about 2.5 hours. Up to the present, the authors have only managed to obtain 100-130 ohm-cm in p-type InSb having a hole concentration of 10^{12} cm⁻³, while maintaining a high carrier mobility of 5×10^3 cm/V-sec, but higher resistivities are expected in the near future. Crystals of the material were tested in fast, clamping switches of the breakdown type. The low breakdown voltage (40V/cm) and fast recovery time (microsec.) hold considerable promise. "The authors acknowledge aid from L.S. Khitarishvili, I.M. Purtseladze, Ye. K. Nemsadze, A.V. Matveyenko and V.G. Avalina." Orig. art. has: 2 figures.

ASSOCIATION: Tbilisskiy gosudarstvennyy universitet (Tiflis State University)

SUBMITTED: 16Apr64

ENCL: 00

SUB CODE: SS, IC

NO REF SOV: 001

OTHER: 001

Card 2/2

SEMENENKO, A.G.; KIVDELIDZE, A.A.; SEMENENKO, A.I.D.

Electrophysiological characteristics of the assimilation reactions
and the reproduction of the stimulation rhythm in plants. Izv.
AN SSSR. Ser. biol. no.3:439-450 May-June '64. (MIRA 17:5)

1. Central Institute of the Reeducation of Physicians and
Institute of Cybernetics of the Georgian S.S.R.